



# Public Environment Report

## GREENHOUSE GAS EMISSIONS

| <b>Total greenhouse gas emissions (tonnes CO2e)</b>            | <b>2014/2015</b> | <b>2015/2016</b> | <b>2016/2017</b> |
|--|------------------|------------------|------------------|
| Scope 1  | 159              | 148              | 139              |
| Scope 2  | 720              | 732              | 719              |
| <b>Total</b>   | <b>879</b>       | <b>879</b>       | <b>858</b>       |
| <b>Normalised greenhouse gas emissions</b>                     | <b>2014/2015</b> | <b>2015/2016</b> | <b>2016/2017</b> |
| Emissions per unit of floor space (kgCO2e/m2)                  | 123.64           | 123.69           | 120.69           |
| Emissions per unit of Separations (kgCO2e/Separations)         | 579.50           | 637.71           | 708.03           |
| Emissions per unit of bed-day (LOS+Aged Care OBD) (kgCO2e/OBD) | N/A              | N/A              | N/A              |

## STATIONARY ENERGY

| <b>Total stationary energy consumption by energy type (GJ)</b> | <b>2014/2015</b> | <b>2015/2016</b> | <b>2016/2017</b> |
|--|------------------|------------------|------------------|
| Electricity  | 2,196            | 2,330            | 2,376            |
| Liquefied Petroleum Gas  | 2,657            | 2,441            | 2,290            |
| <b>Total</b>   | <b>4,853</b>     | <b>4,771</b>     | <b>4,666</b>     |
| <b>Normalised stationary energy consumption</b>                | <b>2014/2015</b> | <b>2015/2016</b> | <b>2016/2017</b> |
| Energy per unit of floor space (GJ/m2)                         | 0.68             | 0.67             | 0.66             |
| Energy per unit of Separations (GJ/Separations)                | 3.20             | 3.46             | 3.85             |
| Energy per unit of bed-day (LOS+Aged Care OBD) (GJ/OBD)        | N/A              | N/A              | N/A              |

## WATER

| <b>Total water consumption by type (kL)</b>                                      | <b>2014/2015</b> | <b>2015/2016</b> | <b>2016/2017</b> |
|--|------------------|------------------|------------------|
| Class A Recycled Water   | N/A              | N/A              | N/A              |
| Potable Water  | 4,506            | 4,641            | 4,475            |
| Reclaimed Water  | N/A              | N/A              | N/A              |
| <b>Total</b>   | <b>4,506</b>     | <b>4,641</b>     | <b>4,475</b>     |
| <b>Normalised water consumption (Potable + Class A)</b>                          | <b>2014/2015</b> | <b>2015/2016</b> | <b>2016/2017</b> |
| Water per unit of floor space (kL/m2)  | 0.63             | 0.65             | 0.63             |
| Water per unit of Separations (kL/Separations)                                   | 2.97             | 3.37             | 3.69             |
| Water per unit of bed-day (LOS+Aged Care OBD) (kL/OBD)                           | N/A              | N/A              | N/A              |
| <b>Water re-use and recycling</b>  | <b>2014/2015</b> | <b>2015/2016</b> | <b>2016/2017</b> |
| Re-use or recycling rate % (Class A + Reclaimed / Potable + Class A + Reclaimed) | N/A              | N/A              | N/A              |

## NOTES AND CONTEXTUAL INFORMATION

| <b>Normalisers (for information only)</b> | <b>2014/2015</b> | <b>2015/2016</b> | <b>2016/2017</b> |
|---|------------------|------------------|------------------|
| Area M2                                   | 7,110            | 7,110            | 7,110            |
| 1000km (Corporate)                        | N/A              | N/A              | N/A              |
| 1000km (Non-emergency)                    | N/A              | N/A              | N/A              |
| Aged Care OBD                             | 10,808           | 11,399           | 9,078            |
| ED Departures                             | 0                | 0                | 0                |
| FTE                                       | 115              | N/A              | N/A              |
| LOS                                       | 3,868            | 3,568            | 3,119            |
| PPT                                       | N/A              | N/A              | N/A              |
| Separations                               | 1,517            | 1,379            | 1,212            |